



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of Water Fittings, System Components and Materials - Verification of Regulatory Compliance with UK Regulation 4(1)(a)

This is the Official Listing recorded on November 1, 2023.

Elkay Manufacturing Company
1333 Butterfield Road
Suite 200
Downers Grove, IL 60515
630-574-8484

Facility: IL

Trade Name	Connection Sizes	Max Pressure	Max Temp	Expiry Date
Water Fountain - Certificate number 439631 S3				
LK44 [1] [2] [3]	3/4" BSPF to push fit adapter	7.25 bar	Cold water	17-Apr-2028

[1] LK44 range of drinking water fountains with or without a bottle filler

[2] Model number may include the following characters: 00, 05, 08, 09, 10, 20 or 30 (denotes the number of spouts); BF (denotes inclusion of a bottle filler); 1L, 1M or 1U (denotes placement of bottle filler - lower, middle, or upper); BGE, BLK, BLU, BRN, EVG, GRY, ORN, PUR, RED, TER, WHT, YLW (denotes colour); W or WR (denotes for UK market only).

[3] Markings: Company name 'Elkay' located on unit

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.

1 of 3



Facility: Lanark, IL

Trade Name	Connection Sizes	Max Pressure	Max Temp	Expiry Date
Water dispensers - Certificate number 2310577				
EMA [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
LMA [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
ERFP [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
ERPB [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
LRPB [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
ECDFPW [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EDFP [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EDFPB [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EDFPBW [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EHW [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
LVRC [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
VRC [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EZWS [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
LZWS [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
HTHBHAC8SSWF25WN [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028

Water dispensers - Certificate number 2310631

LBWD [2]	3/8" Push-fit	7.25 bar	Cold only	28-Oct-2028
----------	---------------	----------	-----------	-------------

[1] Description: Elkay range of drinking water fountains

Model number may include the following characters:
BF or SM (denotes wall mount only or surface mount option product);
B (denotes product is battery-operated; not certified with LMA*);
TL or TLR (denotes two-level fountain configuration);
V or VR (denotes vandal resistance);
M (denotes inclusion of a mounting frame);
2, 2JO or JO (denotes electrical characteristics);
8, G8, D, or DD (denotes chilling capacity);
8, 28, 82, 282 (denotes chilling capacity, electrical characteristics, and number of fountains);
GRN (denotes high-efficiency cooling system);
14, 17, 114, 117, 2, 210, 214, 217, or 314 (denotes number of fountains and fountain shape);
BF, WS or WS-F (denotes inclusion of a bottle filler);
HD (denotes heavy-duty steel case); SC (denotes inclusion of louver screens);
S or WS (denotes fountain-only or fountain-bottle filler configuration);
EDFP, EDFPB, ERPB, LRPB, SF, or SM (denotes fountain style);
R or RF (denotes product is a bottle filler to retrofit a fountain);
L, S or SS (denotes finish);
C, K, P, PK, RAC or RAK (denotes shipping configuration);
W or WR (denotes for UK market only); N (denotes natural refrigerant)

Markings:Elkay' located on unit. HTHBHAC8SSWF25WN model has the 'Halsey Taylor' brand written on it instead of Elkay.

[2] Description: Elkay ezH20 Liv range of drinking water dispensers

Model number may include the following characters: 2 or 2C (denotes electrical characteristics); 00 (denotes chilling capacity); BK, WH, or other two-letter identifiers (denotes colour); C or K (denotes shipping configuration)

Markings: Elkay logo on the dispenser

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Facility: Savanna, IL

Trade Name	Connection Sizes	Max Pressure	Max Temp	Expiry Date
Water dispensers - Certificate number 2310577				
EMA [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
LMA [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
ERFP [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
ERPB [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
LRPB [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
ECDFPW [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EDFP [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EDFPB [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EDFPBW [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EHW [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
LVRC [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
VRC [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
EZWS [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
LZWS [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028
HTHBHAC8SSWF25WN [1]	8mm push fit	7.25 bar	Cold only	28-Oct-2028

[1] Description: Elkay range of drinking water fountains

Model number may include the following characters:
 BF or SM (denotes wall mount only or surface mount option product);
 B (denotes product is battery-operated; not certified with LMA*);
 TL or TLR (denotes two-level fountain configuration);
 V or VR (denotes vandal resistance);
 M (denotes inclusion of a mounting frame);
 2, 2JO or JO (denotes electrical characteristics);
 8, G8, D, or DD (denotes chilling capacity);
 8, 28, 82, 282 (denotes chilling capacity, electrical characteristics, and number of fountains);
 GRN (denotes high-efficiency cooling system);
 14, 17, 114, 117, 2, 210, 214, 217, or 314 (denotes number of fountains and fountain shape);
 BF, WS or WS-F (denotes inclusion of a bottle filler);
 HD (denotes heavy-duty steel case); SC (denotes inclusion of louver screens);
 S or WS (denotes fountain-only or fountain-bottle filler configuration);
 EDFP, EDFPB, ERPB, LRPB, SF, or SM (denotes fountain style);
 R or RF (denotes product is a bottle filler to retrofit a fountain);
 L, S or SS (denotes finish);
 C, K, P, PK, RAC or RAK (denotes shipping configuration);
 W or WR (denotes for UK market only); N (denotes natural refrigerant)

Markings:Elkay' located on unit. HTHBHAC8SSWF25WN model has the 'Halsey Taylor' brand written on it instead of Elkay.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.